


# READY MIXER

## Ready Mixer



**ELIMINATE SHORT LOAD FEES**




**ELIMINATE ORDER MINIMUMS**



**ELIMINATE WAIT TIME**



[readymixer.com](http://readymixer.com)



## COMPANY PROFILE

Ready Mixer is a manufacturer of short-load concrete mixing batch plant equipment, including 1-3 yard mixers on trailers, and 3-5 yard mixers on skid rails, hoppers, and wheel loaders.

Founded in 2023, Ready Mixer is a short-loaded concrete manufacturing enterprise dedicated to the R&D, sales, and service of intelligent short-load concrete operations. The company has developed more than 5 models of equipment that are widely applied in the concrete industry for short-load concrete solutions.

Fundamentally our company was built to save money on short load fees, minimum order quantities, and long wait times. We also make our equipment easy to work with and simple to repair.



# Ready Mixer




- › HONDA GX690 MOTOR 22 HP
- › HYDRAULIC POWERED DRUM
- › TILT TO DISCHARGE
- › AGGRESSIVE HELIX FINES
- › HYDRAULIC BRAKES

## Concrete Mixer on Trailer

MODEL	1 YARD	1.75 YARD	3 YARD
GEAR REDUCER	Zhier	Zhier	Zhier
MOTOR	Honda GX690	Honda GX690	Honda GX690
TIRE SIZE	ST235/80/R16 10PLY	ST235/80/R16 10PLY	ST235/80/R16 10PLY
HITCH TYPE	2 inch	2 inch	2 inch
LENGTH	16 ft	16 ft	16 ft
WIDTH	5 ft	5 ft 7 in	6 ft 2 in
HEIGHT	6 ft 11 in	7 ft 3 in	7 ft 7 in
POUR OPENING	3 ft	3 ft	3 ft
BATTERY SIZE	12 volt 60Ah	12 volt 60Ah	12 volt 60Ah
GAS TANK SIZE	2.6 Gallon	2.6 Gallon	2.6 Gallon
COOLING FAN TYPE	Electric	Electric	Electric
DRY WEIGHT	2,800 lbs	3,300 lbs	3,800 lbs
GVW WEIGHT	6,800 lbs	10,000 lbs	15,800 lbs
WATER TANK SIZE	50 Gallons	50 Gallons	50 Gallons
AXEL TYPE	Dual	Dual	Tri

[sales@readymixer.com](mailto:sales@readymixer.com)

# Ready Mixer



- › HONDA GX690 MOTOR 22 HP
- › HYDRAULIC POWERED DRUM
- › POUR SHUTE
- › DUAL LADDERS
- › WATER TANK AND SPRAYER

## Concrete Mixer on Skid Rails

MODEL	3 YARD	4 YARD	5 YARD
GEAR REDUCER	Zhier	Zhier	Zhier
MOTOR	Honda GX690	Honda GX690	Honda GX690
DRUM DIAMETER	1.47 Yards	1.69 Yards	1.69 Yards
DRY WEIGHT	2,458 lbs	2,678 lbs	3,031 lbs
DRUM THICKNESS	4 mm	4 mm	4 mm
LENGHT	9.6 Feet	11.5 Feet	13.25 Feet
WIDTH	4.41 Feet	5.08 Feet	5.67 Feet
HEIGHT	5.33 Feet	5.83 Feet	7.08 Feet
WATER TANK SIZE	50 Gallon	50 Gallon	50 Gallon
GAS TANK SIZE	2.6 Gallon	2.6 Gallon	2.6 Gallon
POWER TYPE	Gasoline	Gasoline	Gasoline
DISCHARGE SPEED	2 yards per minute	2 yards per minute	2 yards per minute

# Ready Mixer



- › HONDA GX270 MOTOR 8.5 HP
- › MILD STEEL
- › DRY CONVEYOR BELT
- › ADJUSTABLE LEG EXTENDERS

## HOPPER

MODEL	HOPPER	HOPPER WITH EXTENDED LEGS
MOTOR	Honda GX270	Honda GX270
MOTOR HP	8.5 HP	8.5 HP
FUEL TYPE	Gasoline	Gasoline
LENGHT	16 ft	16 ft
WIDTH	5 ft	5 ft
HEIGHT	6 ft 11 in	8 ft 11 in
DRY WEIGHT	1,500 lbs	1,627 lbs
BELT WIDTH	16 in	16 in
HOPPER STYLE	Dry	Dry
CONVEYOR BELT DROP HEIGHT	63 in	87 in



- › KUBOTA ENGINE 25 HP
- › HEAT AND AIR CONDITIONER
- › 4 IN 1 BUCKET
- › FORKLIFT ATTACHMENT
- › WEIGHT SCALES INCLUDED

## WHEEL LOADER

### MODEL

### WHEEL LOADER

RATED BUCKET CAPACITY	▶	14.13 ft
HOPPER WIDTH	▶	53.15 ft
RATED LOAD	▶	1,754 lbs
TOTAL WEIGHT	▶	5,584 lbs
ENGINE TYPE	▶	Kubota
POWER OF ENGINE	▶	24.65 HP
DUMPING HEIGHT	▶	90.55 in
DUMPING REACH	▶	27.17 in
MINIMUM GROUND CLEARNACE	▶	8.66 in
MINIMUM TURNING	▶	189 in
UNLOADING ANGLE	▶	37 degrees
TIRE	▶	31 - 15.5 - 15
DISTANCE BETWEEN AXLES	▶	75 in
DISTANCE BETWEEN WHEELS	▶	45.28 in
TRANSMISSION ASSEMBLY	▶	240



- › KUBOTA 1505 ENGINE
- › 4 IN 1 BUCKET
- › 8 FEET LIFT HEIGHT
- › DIESEL POWERED
- › 7 CUBIC FEET BUCKET CAPACITY

## SKID STEER

### MODEL

### SKID STEER

LENGTH	▶	9.51 FT
WIDTH	▶	3.5 FT
HEIGHT	▶	5 FT
WEIGHT	▶	3,417 LBS
TRACK WIDTH	▶	7 INCHES
TRANSMISSION DRIVE	▶	-
DRIVE SPEED MAX	▶	4.3 MPH
ENGINE MAKE AND TYPE	▶	KUBOTA 1505
ENGINE OUTPUT	▶	24 HP
TORQUE MAX	▶	1700 RPM
BUCKET CAPACITY	▶	7 CUBIC FT

READY MIX

**Ready  
Mixer**



**Contact  
Us**

**800-770-3956**



**sales@readymixer.com**



**readymixer.com**

