

READY MIXER

Ready Mixer



ELIMINATE SHORT LOAD FEES




ELIMINATE ORDER MINIMUMS



ELIMINATE WAIT TIME



readymixer.com



COMPANY PROFILE

Ready Mixer is a manufacturer of short-load concrete mixing batch plant equipment, including 1-3 yard mixers on trailers, and 3-5 yard mixers on skid rails, hoppers, and wheel loaders.

Founded in 2023, Ready Mixer is a short-loaded concrete manufacturing enterprise dedicated to the R&D, sales, and service of intelligent short-load concrete operations. The company has developed more than 5 models of equipment that are widely applied in the concrete industry for short-load concrete solutions.

Fundamentally our company was built to save money on short load fees, minimum order quantities, and long wait times. We also make our equipment easy to work with and simple to repair.



Ready Mixer




- › HONDA GX690 MOTOR 22 HP
- › HYDRAULIC POWERED DRUM
- › TILT TO DISCHARGE
- › AGGRESSIVE HELIX FINS
- › HYDRAULIC BRAKES

Concrete Mixer on Trailer

| MODEL | 1 YARD | 1.75 YARD | 3 YARD |
|------------------|--------------------|--------------------|--------------------|
| GEAR REDUCER | Zhier | Zhier | Zhier |
| MOTOR | Honda GX690 | Honda GX690 | Honda GX690 |
| TIRE SIZE | ST235/80/R16 10PLY | ST235/80/R16 10PLY | ST235/80/R16 10PLY |
| HITCH TYPE | 2 inch | 2 inch | 2 inch |
| LENGTH | 16 ft | 16 ft | 19 ft |
| WIDTH | 5 ft | 5 ft 7 in | 6.08 ft |
| HEIGHT | 6 ft 11 in | 7 ft 3 in | 8 ft |
| POUR OPENING | 3 ft | 3 ft | 3 ft |
| BATTERY SIZE | 12 volt 60Ah | 12 volt 60Ah | 12 volt 60Ah |
| GAS TANK SIZE | 2.6 Gallon | 2.6 Gallon | 2.6 Gallon |
| COOLING FAN TYPE | Electric | Electric | Electric |
| DRY WEIGHT | 2,800 lbs | 3,300 lbs | 3,800 lbs |
| GVW WEIGHT | 6,800 lbs | 10,000 lbs | 15,800 lbs |
| WATER TANK SIZE | 50 Gallons | 50 Gallons | 50 Gallons |
| AXEL TYPE | Dual | Dual | Tri |

sales@readymixer.com



- › HONDA GX690 MOTOR 22 HP
- › HYDRAULIC POWERED DRUM
- › POUR SHUTE
- › DUAL LADDERS
- › WATER TANK AND SPRAYER

Concrete Mixer on Skid Rails

| MODEL | 3 YARD | 4 YARD | 5 YARD |
|-----------------|--------------------|--------------------|--------------------|
| GEAR REDUCER | Zhier | Zhier | Zhier |
| MOTOR | Honda GX690 | Honda GX690 | Honda GX690 |
| DRUM DIAMETER | 1.47 Yards | 1.69 Yards | 1.69 Yards |
| DRY WEIGHT | 2,458 lbs | 2,678 lbs | 3,031 lbs |
| DRUM THICKNESS | 4 mm | 4 mm | 4 mm |
| LENGHT | 9.6 Feet | 11.5 Feet | 13.25 Feet |
| WIDTH | 4.41 Feet | 5.08 Feet | 5.67 Feet |
| HEIGHT | 5.33 Feet | 5.83 Feet | 7.08 Feet |
| WATER TANK SIZE | 50 Gallon | 50 Gallon | 50 Gallon |
| GAS TANK SIZE | 2.6 Gallon | 2.6 Gallon | 2.6 Gallon |
| POWER TYPE | Gasoline | Gasoline | Gasoline |
| DISCHARGE SPEED | 2 yards per minute | 2 yards per minute | 2 yards per minute |

Ready Mixer



- › HONDA GX270 MOTOR 8.5 HP
- › MILD STEEL
- › DRY CONVEYOR BELT
- › ADJUSTABLE LEG EXTENDERS

HOPPER

| MODEL | HOPPER | HOPPER WITH EXTENDED LEGS |
|---------------------------|-------------|---------------------------|
| MOTOR | Honda GX270 | Honda GX270 |
| MOTOR HP | 8.5 HP | 8.5 HP |
| FUEL TYPE | Gasoline | Gasoline |
| LENGHT | 16 ft | 16 ft |
| WIDTH | 5 ft | 5 ft |
| HEIGHT | 6 ft 11 in | 8 ft 11 in |
| DRY WEIGHT | 1,500 lbs | 1,627 lbs |
| BELT WIDTH | 16 in | 16 in |
| HOPPER STYLE | Dry | Dry |
| CONVEYOR BELT DROP HEIGHT | 63 in | 87 in |



- › KUBOTA ENGINE 25 HP
- › HEAT AND AIR CONDITIONER
- › 4 IN 1 BUCKET
- › FORKLIFT ATTACHMENT
- › WEIGHT SCALES INCLUDED

WHEEL LOADER

MODEL

WHEEL LOADER

| | | |
|--------------------------|---|----------------|
| RATED BUCKET CAPACITY | ▶ | 14.13 ft |
| HOPPER WIDTH | ▶ | 53.15 ft |
| RATED LOAD | ▶ | 1,754 lbs |
| TOTAL WEIGHT | ▶ | 5,584 lbs |
| ENGINE TYPE | ▶ | Kubota |
| POWER OF ENGINE | ▶ | 24.65 HP |
| DUMPING HEIGHT | ▶ | 90.55 in |
| DUMPING REACH | ▶ | 27.17 in |
| MINIMUM GROUND CLEARNACE | ▶ | 8.66 in |
| MINIMUM TURNING | ▶ | 189 in |
| UNLOADING ANGLE | ▶ | 37 degrees |
| TIRE | ▶ | 31 - 15.5 - 15 |
| DISTANCE BETWEEN AXLES | ▶ | 75 in |
| DISTANCE BETWEEN WHEELS | ▶ | 45.28 in |
| TRANSMISSION ASSEMBLY | ▶ | 240 |



- › KUBOTA 1505 ENGINE
- › 4 IN 1 BUCKET
- › 8 FEET LIFT HEIGHT
- › DIESEL POWERED
- › 7 CUBIC FEET BUCKET CAPACITY

SKID STEER

MODEL

SKID STEER

| | | |
|----------------------|---|-------------|
| LENGTH | ▶ | 9.51 FT |
| WIDTH | ▶ | 3.5 FT |
| HEIGHT | ▶ | 5 FT |
| WEIGHT | ▶ | 3,417 LBS |
| TRACK WIDTH | ▶ | 7 INCHES |
| TRANSMISSION DRIVE | ▶ | - |
| DRIVE SPEED MAX | ▶ | 4.3 MPH |
| ENGINE MAKE AND TYPE | ▶ | KUBOTA 1505 |
| ENGINE OUTPUT | ▶ | 24 HP |
| TORQUE MAX | ▶ | 1700 RPM |
| BUCKET CAPACITY | ▶ | 7 CUBIC FT |

READY MIX

**Ready
Mixer**



**Contact
Us**

800-770-3956



sales@readymixer.com



readymixer.com

